

Liquidtight Conduit Fittings

Liquidtight SR Series Sealing Rings

SR series sealing rings are used to form a liquid tight sealing with connector to box or enclosure.

Features

Steel and Stainless Steel ring are both available

Standard Materials/Finishes

- Ring: Steel/Zinc Plated, or Stainless Steel
- Gasket: NBR




Compliances and Certifications

- UL File No.E256528
- UL-514B

Liquidtight Fittings

SR, SR-SS

Catalog Number		Dimensions					
Steel	Stainless Steel	Trade Size	A		B		
			Inch	mm	Inch	mm	
SR-50	SR-50SS	1/2"	1.14	29.0	0.16	4.1	
SR-75	SR-75SS	3/4"	1.37	34.8	0.16	4.1	
SR-10	SR-10SS	1"	1.62	41.1	0.16	4.1	
SR-125	SR-125SS	1-1/4"	1.98	50.3	0.16	4.1	
SR-150	SR-150SS	1-1/2"	2.25	57.2	0.16	4.1	
SR-200	SR-200SS	2"	2.75	69.9	0.16	4.1	



Cord Grips

Cord Grips

Used to connect S, SO,ST,SJ,SJO and SJT cord to a steel outlet box or other metal enclosure. Zinc die cast or Steel.

Features

- Color coded elastomer bushings for cable diameter to fast identification of proper application
- Male Tapered thread NPT
- Watertight sealing
- Straight cord grip is steel based

Standard Materials/Finishes

Body:	Zinc Die Cast or Steel
Bushing	Elastomer
Nut	Zinc Die Cast or Steel

Compliances and Certifications

- UL File No.E256528
- UL-514B
- Federal Specification A-A-50552
- CSA Standard C22.2 18
- NEMA FB-1



Cord Grips

Cord Grips

Zinc Die Cast



Catalog Number	Size	Color	Cord Range
SRC-50-190/260	1/2"	red	.190/.260
SRC-50-260/375	1/2"	blue	.260/.375
SRC-50-375/500	1/2"	green	.375/.500
SRC-75-375/500	3/4"	green	.375/.500
SRC-75-500/625	3/4"	brown	.500/.625
SRC-75-625/750	3/4"	orange	.625/.725
SRC-100-500/625	1"	brown	.500/.625
SRC-100-625/750	1"	orange	.625/.750
SRC-100-750/880	1"	Black	.750/.880
SRC-100-880/985	1"	Purple	.880/.985



Steel

Catalog Number

Straight

Size

Bushing Color

Cord Range

SRC-50-250S	1/2"	Red	.125-.250
SRC-50-350S	1/2"	White	.250/.350
SRC-50-450S	1/2"	Blue	.350/.450
SRC-50-560S	1/2"	Green	.450/.560
SRC-50-650S	1/2"	Beige	.560/.650
SRC-75-250S	3/4"	Red	.125-.250
SRC-75-350S	3/4"	White	.250/.350
SRC-75-450S	3/4"	Blue	.350/.450
SRC-75-560S	3/4"	Green	.450/.560
SRC-75-650S	3/4"	Beige	.560/.650
SRC-75-750S	3/4"	Yellow	.650/.750
SRC-75-850S	3/4"	Purple	.750/.850
SRC-100-560S	1"	Green	.450/.550
SRC-100-650S	1"	Beige	.550/.650
SRC-100-750S	1"	Yellow	.650/.750
SRC-100-850S	1"	Purple	.750/.850
SRC-100-950S	1"	Gray	.850/.950
SRC-100-1050S	1"	Black	.950/.1050